

50 Δt

(75/65/20°C)

VERTICAL ULTRA


Front Panel Height mm	Emitter Height mm	Front Panel Length mm	Emitter Length mm	Stelrad UIN	Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
1040	1000	470	400	86110224	857	2924	£426.13	£511.36
		570	500	86110225	1071	3654	£459.19	£551.03
		670	600	86110226	1285	4384	£533.38	£640.06
1240	1200	470	400	86112224	999	3409	£431.13	£517.36
		570	500	86112225	1249	4262	£518.35	£622.02
		670	600	86112226	1499	5115	£597.35	£716.82
1840	1800	470	400	86118224	1476	5036	£558.94	£670.73
		570	500	86118225	1845	6295	£652.08	£782.50
		670	600	86118226	2214	7554	£726.60	£871.92
2040	2000	470	400	86120224	1584	5405	£579.40	£695.28
		570	500	86120225	1980	6756	£668.83	£802.60
		670	600	86120226	2376	8107	£736.10	£883.32

Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CENTRE TAP TRV NOW AVAILABLE

Stelrad UIN	Description	Price excl VAT	Price incl VAT
145313	Straight White	£50.00	£60.00
145314	Straight Chrome	£50.00	£60.00
145315	Angled Left White	£50.00	£60.00
145316	Angled Left Chrome	£50.00	£60.00
145317	Angled Right White	£50.00	£60.00
145318	Angled Right Chrome	£50.00	£60.00



Towel Rail Bar	Stelrad UIN	Price excl VAT	Price incl VAT
400mm wide	83200004	£62.62	£75.14
500mm wide	83200005	£68.14	£81.77
600mm wide	83200006	£73.78	£88.54


Towel rail bar is 120mm wider than actual radiator.

VERTICAL ULTRA

Aqua Series

WALL MOUNTING INFORMATION

All dimensions in mm. Inches in brackets.



CONNECTIONS

Each radiator comes with 1/2" inlet connections as standard.

VERTICAL ULTRA

Aqua Series

PIPE CONNECTIONS




TABLE OF HEAT OUTPUTS AT:

Inlet	75°C	Watt to Btu/hr:
Outlet	65°C	3.412
Ambient	20°C	3.412
Delta T	50°C	3.412

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	T22 (K2)			
	1000	1200	1800	2000
Height (mm)	1000	1200	1800	2000
W/m at 75/65/20	2142	2498	3690	3960
n-coefficients	1.29	1.30	1.33	1.33
Heated surface area (m ² /m)	26.23	27.15	29.90	37.74
Weight (kg/m)	59.40	71.80	105.30	116.40
Water contents (l/m)	10.30	12.30	15.90	17.70
KM	13.62	15.66	20.70	21.98

COLOUR GUIDE

A shade for every room, for every interior. Opt for warm elegance, baroque ambience or modern minimalism.

Natural Colours



NT110
Papyrus white

NT120
Pearl white

NT130
Champagne

NT140
Beige

NT150
Beige grey

NT160
Pebble grey

NT170
Quartz grey



SN110
Cream white

SN120
Cream

SN130
Mocca

SN140
Bordeaux

SN150
Sepia

SN160
Pale blue

SN170
Black

Metallic Colours



ML110
Dove grey

ML120
Titanium grey

ML130
Blue grey

ML140
Granite

ML150
Cappuccino

ML160
Terra brown

ML170
Graphite black

RAL Colours



A1004
Golden yellow

A2003
Pastel orange


A3002
Carmine red

A3003
Robin red

A5002
Ultramarine blue

A6018
Yellow green

A7001
Silver grey



A7011
Iron grey

A7016
Anthracite grey

A7030
Stone grey

A7035
Light grey

A8017
Chocolate brown

A9003
Signal white

A9005
Jet black



RAL 9016*
Traffic white

FOR FURTHER INFORMATION ON RAL COLOURS PLEASE VISIT WWW.RALCOLOR.COM



Stelrad Radiators are available in white (RAL 9016) as standard, however the specific Radiators identified are now available in a variety of colours. The colours shown are reproduced as accurately as this process will allow and can be made to order on the identified products.

All colour radiators have up to an 8 week lead time, and when a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

To request a colour chart please email marketing@stelrad.com