

The Stelrad Concord Chrome Vertical is a stunning minimalist vertical flat panel designer radiator in a modern eye-catching mirror chrome finish.



CONCORD CHROME VERTICAL

Boutique Series

50 Δt

(75/65/20°C)

SINGLE

Height mm	Length mm	Stelrad UIN	Watts	Heat output Btu/hr
1800	310	751101	395	1348
	399	751102	495	1688
	488	751103	528	1801
	604	751104	654	2232

$\Delta t 50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t 40$ or $\Delta t 30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CONCORD CHROME VERTICAL

Boutique Series






WALL MOUNTING INFORMATION

All dimensions in mm.

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	Vertical	
Height	1800	2000
W/m at 75/65/20	1846	2041
n-coefficients	1.31	1.31
Heated surface area (m ² /m)	4.01	4.42
Weight (kg/m)	44.2	49.4
Water contents (l/m)	14.3	16.9
Wall to tap centre (mm)	43	43

WIDTH (mm)	X (mm)	Y (mm)
310	80	1590
390	160	1590
470	240	1590
604	356	1590



PIPING INSTRUCTIONS

