

Online Exclusive

Savanna i Compact



Savanna i Compact

K1



K2




Height mm	Length mm	Stelrad UIN	Output dt50 Watts	Btu/hr	Prices	Stelrad UIN	Output dt50 Watts	Btu/hr	Prices
300	500	931105	254	866	£23.31	932205	490	1674	£34.76
	1000	931110	508	1734	£38.04	932210	981	3349	£60.46
	1500	931115	762	2601	£54.10	932215	1472	5023	£92.91
	2000	-	-	-		932220	1962	6698	£128.83
450	400	941104	302	1032	£23.80	942204	548	1871	£37.82
	500	941105	378	1290	£26.45	942205	685	2339	£43.89
	600	941106	454	1548	£27.78	942206	822	2807	£48.62
	700	941107	529	1806	£32.40	942207	959	3274	£52.95
	800	941108	605	2064	£37.03	942208	1096	3742	£56.20
	900	941109	680	2322	£41.66	942209	1234	4210	£60.80
	1000	941110	756	2579	£46.28	942210	1371	4678	£64.83
	1100	941111	831	2837	£50.91	942211	1508	5146	£71.34
	1200	941112	907	3095	£55.54	942212	1645	5613	£77.80
	1400	941114	1058	3611	£64.79	942214	1919	6549	£100.22
	1600	941116	1209	4127	£74.05	942216	2193	7485	£114.53
	1800	941118	1360	4643	£90.45	942218	2467	8420	£128.87
600	2000	941120	1505	5137	£102.51	942220	2742	9358	£148.91
	2200	941122	1656	5651	£127.65	942222	3016	10294	£182.41
	2400	941124	1806	6164	£139.27	942224	3290	11230	£199.00
	400	961104	392	1338	£25.97	962204	693	2364	£41.27
	500	961105	490	1672	£28.85	962205	866	2955	£47.90
	600	961106	588	2006	£30.29	962206	1039	3546	£53.04
	700	961107	686	2341	£35.34	962207	1212	4137	£57.77
	800	961108	784	2675	£40.40	962208	1385	4728	£61.29
	900	961109	882	3009	£45.43	962209	1558	5319	£66.30
	1000	961110	980	3344	£50.48	962210	1732	5910	£70.73
	1100	961111	1078	3678	£55.54	962211	1905	6501	£77.80
	1200	961112	1176	4013	£60.58	962212	2078	7092	£84.86
700	1400	961114	1372	4681	£70.68	962214	2424	8273	£109.34
	1600	961116	1568	5350	£80.79	962216	2770	9455	£124.94
	1800	961118	1764	6019	£98.68	962218	3117	10637	£140.57
	2000	961120	1946	6642	£114.02	962220	3466	11831	£215.14
	2200	961122	2141	7306	£165.11	962222	3813	13014	£268.52
	2400	961124	2335	7970	£180.07	962224	4160	14197	£293.08
	400	971104	447	1524	£35.49	972204	784	2676	£56.39
	500	971105	558	1906	£39.43	972205	980	3345	£65.44
	600	971106	670	2287	£41.39	972206	1176	4015	£72.49
	700	971107	782	2668	£48.30	972207	1372	4684	£78.93
	800	971108	893	3049	£55.20	972208	1568	5353	£83.76
	900	971109	1005	3430	£62.11	972209	1764	6022	£90.63
700	1000	971110	1117	3811	£69.01	972210	1960	6691	£96.66
	1100	971111	1228	4192	£75.90	972211	2156	7360	£106.32
	1200	971112	1340	4573	£82.81	972212	2352	8029	£116.00
	1400	971114	1563	5336	£96.62	972214	2745	9367	£149.42
	1600	971116	1787	6098	£110.41	972216	3137	10705	£170.78
	1800	971118	2010	6860	£134.86	972218	3529	12044	£192.11
	2000	971120	2218	7570	£155.84	972220	3927	13404	£222.01

Savanna i Compact

WALL MOUNTING INFORMATION

All dimensions in mm. Inches in brackets.

Floor mounting brackets available.




BRACKET POSITION

A = Closest to wall B = Furthest from wall (R) = Recommended mounting position.

Savanna i Compact

COMPACT MOUNTING BRACKETS


All dimensions in mm. Inches in brackets. Floor mounting brackets available.



Dimensions	mm	inches	mm	inches	mm	inches	mm	inches
Height	300	11.81	450	17.72	600	23.62	700	27.56
A	65	2.56	65	2.56	65	2.56	65	2.56
B	119	4.69	99	3.90	99	3.90	99	3.90
C	-	-	269	10.59	419	16.50	519	20.43
D	153	6.02	303	11.93	453	17.83	553	21.77
E	185	7.28	335	13.19	485	19.09	585	23.03

K1 AND K2 LUG POSITIONS

All dimensions in mm. Inches in brackets.



K2

Dimensions	mm	in
A	133	5.24
B	60	2.36

K1

Dimensions	mm	in
A 400mm	117	4.61
A 500 - 3000mm	150	5.91
B 400 - 3000mm	60	2.36
C 1800 - 3000mm	17	0.67

PANEL HEIGHT

D


mm	in	mm	in
300	11.81	155	6.10
450	17.72	305	12.01
600	23.62	455	17.91
700	27.56	555	21.95

Savanna i Compact

CONNECTIONS

Each radiator comes with ½" inlet connections as standard.


PIPING OPTIONS



EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	K1				K2			
Height	300	450	600	700	300	450	600	700
W/m at 75/65/20	509	756	980	1117	982	1371	1732	1961
n-coefficients	1.32	1.31	1.29	1.29	1.33	1.33	1.33	1.34
Heated surface area (m²/m)	2.09	3.37	4.66	5.51	3.51	5.62	7.74	9.15
Weight (kg/m)	9.31	14.51	19.70	22.90	16.80	25.90	35.00	40.53
Water contents (l/m)	1.89	2.57	3.25	3.77	3.70	5.15	6.60	7.63
Wall to tap centre (mm)	51	51	51	51	73	73	73	73

PRESSURE DROPS



- ① 11 (K1)
- ② 22 (K2)