



The Stelrad Concord Side Chrome oozes functionality and style with its stunning stainless steel finish. Gone are the days when towel rails were merely a heating device, they are now a design feature too.

CONCORD SIDE CHROME

Boutique Series

50 Δt

(75/65/20°C)

STRAIGHT

Height mm	Length mm	Stelrad UIN	Watts	Heat output	Btu/hr
830	500	712001	221		754
1130	500	712002	297		1013
1430	500	712003	371		1266
1730	500	712004	448		1529


Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CENTRE TAP TRV

The Stelrad Centre Thermostatic Radiator Valve (TRV) has several options:

- Chrome or white finish
- 10mm , 15mm or 1/2" system pipe connection
- Left or right side TRV head direction option



UIN	Elements
14531310	CENTRE TAP TRV STRAIGHT WHITE -10MM
14531312	CENTRE TAP TRV STRAIGHT WHITE -1/2IN
14531315	CENTRE TAP TRV STRAIGHT WHITE -15MM
14531410	CENTRE TAP TRV STRAIGHT CHROME -10MM
14531412	CENTRE TAP TRV STRAIGHT CHROME -1/2IN
14531415	CENTRE TAP TRV STRAIGHT CHROME -15MM
14531510	CENTRE TAP TRV ANGLED L WHITE -10MM
14531512	CENTRE TAP TRV ANGLED L WHITE -1/2IN
14531515	CENTRE TAP TRV ANGLED L WHITE -15MM
14531610	CENTRE TAP TRV ANGLED L CHROME -10MM
14531612	CENTRE TAP TRV ANGLED L CHROME -1/2IN
14531615	CENTRE TAP TRV ANGLED L CHROME -15MM
14531710	CENTRE TAP TRV ANGLED R WHITE -10MM
14531712	CENTRE TAP TRV ANGLED R WHITE -1/2IN
14531715	CENTRE TAP TRV ANGLED R WHITE -15MM
14531810	CENTRE TAP TRV ANGLED R CHROME -10MM
14531812	CENTRE TAP TRV ANGLED R CHROME -1/2IN
14531815	CENTRE TAP TRV ANGLED R CHROME -15MM


CONCORD SIDE CHROME

Boutique Series

WALL MOUNTING INFORMATION

All dimensions in mm.

STRAIGHT



HEIGHT (mm)	I-M (mm)
830	675
1130	975
1430	1275
1730	1575

VALID FOR ALL SIZES

