

HOME

SERIES



Column
Horizontal

50 Δ t

(75/65/20°C)

Height mm	Length mm	2 COLUMN				3 COLUMN				4 COLUMN			
		White UIN	Colour UIN	Heat output Watts	Heat output Btu/hr	White UIN	Colour UIN	Heat output Watts	Heat output Btu/hr	White UIN	Colour UIN	Heat output Watts	Heat output Btu/hr
300	440	-	-	-	-	463000h	463000hc	298	1,016	463007h	463007hc	381	1,298
	624	-	-	-	-	463001h	463001hc	430	1,467	463008h	463008hc	550	1,875
	854	-	-	-	-	463002h	463002hc	596	2,032	463009h	463009hc	761	2,596
	1038	-	-	-	-	463003h	463003hc	728	2,483	463010h	463010hc	931	3,173
	1268	-	-	-	-	463004h	463004hc	894	3,048	463011h	463011hc	1,142	3,895
	1452	-	-	-	-	463005h	463005hc	1,026	3,499	-	-	-	-
	1866	-	-	-	-	463006h	463006hc	1,324	4,515	-	-	-	-
500	440	-	-	-	-	463016h	463016hc	464	1,584	463023h	463023hc	615	2,096
	624	463012h	463012hc	494	1,685	463017h	463017hc	671	2,287	463024h	463024hc	888	3,028
	854	463013h	463013hc	684	2,332	463018h	463018hc	929	3,167	463025h	463025hc	1,229	4,192
	1038	463014h	463014hc	836	2,851	463019h	463019hc	1,135	3,871	463026h	463026hc	1,503	5,124
	1268	463015h	463015hc	1,026	3,499	463020h	463020hc	1,393	4,751	463027h	463027hc	1,844	6,288
	1452	-	-	-	-	463021h	463021hc	1,600	5,455	-	-	-	-
	1866	-	-	-	-	463022h	463022hc	2,064	7,038	-	-	-	-
600	440	-	-	-	-	463032h	463032hc	547	1,866	463039h	463039hc	730	2,489
	624	463028h	463028hc	582	1,986	463033h	463033hc	790	2,695	463040h	463040hc	1,054	3,595
	854	463029h	463029hc	806	2,750	463034h	463034hc	1,094	3,732	463041h	463041hc	1,460	4,978
	1038	463030h	463030hc	986	3,361	463035h	463035hc	1,338	4,561	463042h	463042hc	1,784	6,084
	1268	463031h	463031hc	1,210	4,125	463036h	463036hc	1,642	5,598	463043h	463043hc	2,190	7,467
	1452	-	-	-	-	463037h	463037hc	1,885	6,427	-	-	-	-
	1866	-	-	-	-	463038h	463038hc	2,432	8,293	-	-	-	-
750	440	-	-	-	-	-	-	-	-	463049h	463049hc	900	3,069
	624	-	-	-	-	-	-	-	-	463050h	463050hc	1,300	4,433
	854	-	-	-	-	463044h	463044hc	1,341	4,573	463051h	463051hc	1,800	6,138
	1038	-	-	-	-	463045h	463045hc	1,639	5,589	463052h	463052hc	2,200	7,502
	1268	-	-	-	-	463046h	463046hc	2,012	6,859	463053h	463053hc	2,700	9,207
	1452	-	-	-	-	463047h	463047hc	2,310	7,875	-	-	-	-
	1866	-	-	-	-	463048h	463048hc	2,980	10,162	-	-	-	-

Δ t50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δ t40 or Δ t30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelradprofessional.com and search product downloads.

COLOUR OPTIONS

Comes in White as standard (RAL 9016).

Please note that once a coloured radiator has been ordered, it cannot be cancelled or returned.



WARRANTY



MADE TO ORDER




DELIVERY WITHIN 14 WORKING DAYS



WHITE IN STOCK

CLASSIC COLUMN HORIZONTAL FLOOR SUPPORTING BRACKETS




UIN 148137 White
(sold in pairs)

TUBE DIMENSIONS – 2 COLUMN

25mm Vertical round tubes.

Dimensions are in millimeters (mm)




H: height
I: pipe centre (H-70)
L: lengths with fitted connections elements x 46 + 26

TUBE DIMENSIONS – 3 COLUMN

25mm Vertical round tubes.

Dimensions are in millimeters (mm)




H: height
I: pipe centre (H-70)
L: lengths with fitted connections elements x 46 + 26

TUBE DIMENSIONS – 4 COLUMN

25mm Vertical round tubes.

Dimensions are in millimeters (mm)




H: height
I: pipe centre (H-70)
L: lengths with fitted connections elements x 46 + 26

CONNECTIONS

Each radiator comes with 1/2" inlet connections as standard.

PIPING OPTIONS



EN 442 CERTIFICATION DATA – CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	2 Columns		3 Columns				4 Columns			
	500	600	300	500	600	750	300	500	600	750
Height	500	600	300	500	600	750	300	500	600	750
W/m at 75/65/20	826	974	720	1122	1322	1620	920	1485	1763	2174
n-coefficients	1.26	1.26	1.25	1.26	1.26	1.27	1.25	1.26	1.27	1.28
Weight (kg/m)	17.39	19.57	10.87	21.74	28.26	36.96	19.57	32.61	39.13	47.83
Water contents (l/m)	13.04	15.22	13.04	17.39	21.74	23.91	17.39	23.91	26.08	32.61
Wall to tap centre (mm)	63 / 73	63 / 73	84 / 94	84 / 94	84 / 94	84 / 94	104 / 114	104 / 114	104 / 114	104 / 114

55 COLOUR OPTIONS. 14-DAY LEAD TIME.

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is **now available in a variety of colours within 14 working days.**

STANDARD COLOUR




RAL 9016
Traffic white

To request up to 5 colour samples, please email sales@stelrad.com or call **0800 876 6813** with your choices and address details.

The colours shown are reproduced as accurately as this printing process will allow.


RAL COLOURS - Satin Finish



1001
Beige




1013
Oyster white



1015
Light ivory



9001
Cream



9002
Grey white



9003
Signal white




9010
Pure white



9016
Traffic white




9018
Papyrus white




9005
Jet black




9017
Traffic black



7001
Silver grey



7011
Iron grey




7015
Slate grey



7016
Anthacite grey




7030
Stone grey




7032
Pebble grey




7035
Light grey




7036
Platinum grey



7037
Dusty grey




7038
Agate grey



7039
Quartz grey




5002
Ultramarine blue




5010
Gentian blue




5012
Light blue



5014
Pigeon blue



5015
Sky blue




5022
Night blue


Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.



RAL COLOURS (continued)




5024
Pastel blue




6005
Light moss green



6018
Yellow green




6019
Pastel green




6020
Chrome green



6027
Light green



6033
Mint turquoise



6034
Pastel turquoise




3000
Flame red



3002
Carmine red



3003
Ruby red



3005
Wine red



2003
Pastel orange



2008
Bright red orange



1004
Golden yellow




1016
Sulphur yellow




1021
Colza yellow




3015
Light pink



8014
Sepia



8017
Chocolate brown



7026
Granite



1019
Cappuccino




8028
Terra brown




9011
Graphite black


METALLIC



1247M
Bronze metallic



7001M
Silver metallic



9007M
Grey metallic

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit
www.ralcolorchart.com