

# HOME


SERIES

Compact Flat  
Vertical

## 50 $\Delta$ t

(75/65/20°C)

K2



Height mm	Length mm	Sections	White	Colour	Watts	Heat output
			UIN	UIN		
<b>1800</b>	400	12	89322418h	89322418hc	1,476	5,036
	500	15	89322518h	89322518hc	1,845	6,295
	600	18	89322618h	89322618hc	2,214	7,554

$\Delta$ t50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider  $\Delta$ t40 or  $\Delta$ t30 output (see your installer or system designer or download from [www.stelrad.com](http://www.stelrad.com)).

For EN442 data, technical and installation information please visit our website: [www.stelrad.com](http://www.stelrad.com) and search product downloads.

## COLOUR OPTIONS



Comes in White as standard (RAL 9016).

Please note that once a coloured radiator has been ordered, it cannot be cancelled or returned.

## CENTRE TAP TRV



UIN	Elements
14531310	CENTRE TAP TRV STRAIGHT WHITE - 10MM
14531312	CENTRE TAP TRV STRAIGHT WHITE - 1/2IN
14531315	CENTRE TAP TRV STRAIGHT WHITE - 15MM
14531410	CENTRE TAP TRV STRAIGHT CHROME - 10MM
14531412	CENTRE TAP TRV STRAIGHT CHROME - 1/2IN
14531415	CENTRE TAP TRV STRAIGHT CHROME - 15MM
14531510	CENTRE TAP TRV ANGLED L WHITE - 10MM
14531512	CENTRE TAP TRV ANGLED L WHITE - 1/2IN
14531515	CENTRE TAP TRV ANGLED L WHITE - 15MM
14531610	CENTRE TAP TRV ANGLED L CHROME - 10MM
14531612	CENTRE TAP TRV ANGLED L CHROME - 1/2IN
14531615	CENTRE TAP TRV ANGLED L CHROME - 15MM




# COMPACT FLAT VERTICAL




## WALL MOUNTING AND LUG INFORMATION

All dimensions in mm. Inches in brackets.



Comes complete with Stelrad's class leading safety bracket.

## MOUNTING BRACKETS




Height		H2		H3		H4	
mm	inches	mm	inches	mm	inches	mm	inches
1800	70.87	70	2.75	830	43.89	1590	63.58

## CONNECTIONS

Each radiator comes with ½" inlet connections as standard.


## PIPING OPTIONS



## EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	K2
Height	1800
W/m at 75/65/20	3690
n-coefficients	1.32
Heated surface area (m <sup>2</sup> /m)	29.90
Weight (kg/m)	105.30
Water contents (l/m)	15.90
Wall to tap centre (mm)	77
K <sub>M</sub>	20.70

## PRESSURE DROPS



Type	Kv
P1 / K1	1.60
P2 / P+ / K2	1.85

# 55 COLOUR OPTIONS. 14-DAY LEAD TIME.

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is **now available in a variety of colours within 14 working days.**

**STANDARD COLOUR**




**RAL 9016**  
Traffic white

To request up to 5 colour samples, please email [sales@stelrad.com](mailto:sales@stelrad.com) or call **0800 876 6813** with your choices and address details.

*The colours shown are reproduced as accurately as this printing process will allow.*

**RAL COLOURS - Satin Finish**



**1001**  
Beige



**1013**  
Oyster white



**1015**  
Light ivory



**9001**  
Cream



**9002**  
Grey white



**9003**  
Signal white




**9010**  
Pure white



**9016**  
Traffic white




**9018**  
Papyrus white




**9005**  
Jet black




**9017**  
Traffic black



**7001**  
Silver grey



**7011**  
Iron grey




**7015**  
Slate grey



**7016**  
Anthacite grey




**7030**  
Stone grey




**7032**  
Pebble grey




**7035**  
Light grey




**7036**  
Platinum grey



**7037**  
Dusty grey




**7038**  
Agate grey



**7039**  
Quartz grey




**5002**  
Ultramarine blue




**5010**  
Gentian blue




**5012**  
Light blue



**5014**  
Pigeon blue



**5015**  
Sky blue




**5022**  
Night blue

**Please note:** When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit [www.ralcolorchart.com](http://www.ralcolorchart.com)



## RAL COLOURS (continued)




**5024**  
Pastel blue




**6005**  
Light moss green




**6018**  
Yellow green




**6019**  
Pastel green




**6020**  
Chrome green



**6027**  
Light green



**6033**  
Mint turquoise



**6034**  
Pastel turquoise




**3000**  
Flame red



**3002**  
Carmine red



**3003**  
Ruby red



**3005**  
Wine red



**2003**  
Pastel orange



**2008**  
Bright red orange



**1004**  
Golden yellow



**1016**  
Sulphur yellow




**1021**  
Colza yellow




**3015**  
Light pink




**8014**  
Sepia



**8017**  
Chocolate brown



**7026**  
Granite



**1019**  
Cappuccino




**8028**  
Terra brown




**9011**  
Graphite black


## METALLIC



**1247M**  
Bronze metallic



**7001M**  
Silver metallic



**9007M**  
Grey metallic

**Please note:** When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit  
[www.ralcolorchart.com](http://www.ralcolorchart.com)