

HOME

SERIES



Matte
Black Towel
Rail

MATTE BLACK TOWEL RAIL



50 Δ t

(75/65/20°C)

Height mm	Length mm	Stelrad UIN	Watts	Heat output Btu/hr
700	420	751105h	282	962
862	500	751106h	374	1,276
1211	500	751107h	576	1,965

Δ t50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δ t40 or Δ t30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	Matte Black Towel Rail		
No of tubes	14	16	25
Height	700	862	1211
Length	420	500	500
Watts at 75/65/20	282	374	576
n-coefficients	1.2360	1.2477	1.2528
Heated surface area (m ²)	0.45	0.61	1.11
Weight (kg)	3.55	4.80	9.63
Water contents (l)	2.40	3.15	6.89
KM	2.2404	2.8384	4.2850

CONNECTIONS

Each radiator comes with ½" inlet connections as standard.



WARRANTY



IN STOCK



MATTE BLACK
ONLY

www.stelrad.com
Telephone: 0800 876 6813


MATTE BLACK TOWEL RAIL




WALL MOUNTING INFORMATION

All dimensions in mm.


FRONT VIEW




SIDE VIEW




HEADER TUBE DIMENSION



TUBE DIMENSION




TOP AND BOTTOM VIEW



MOUNTING BRACKETS

4 pcs universal mounting bracket.




MATTE BLACK TOWEL RAIL




WALL MOUNTING INFORMATION

All dimensions in mm. All connections are 1/2 inch.


FRONT VIEW




SIDE VIEW




HEADER TUBE DIMENSION



TUBE DIMENSION




TOP AND BOTTOM VIEW



MOUNTING BRACKETS

4 pcs universal mounting bracket.




MATTE BLACK TOWEL RAIL




WALL MOUNTING INFORMATION

All dimensions in mm. All connections are 1/2 inch.


FRONT VIEW



SIDE VIEW



TOP AND BOTTOM VIEW



25 tubes