

HOME

SERIES



Concord
Slimline

50 Δ t

(75/65/20°C)

SINGLE



Height mm	Length mm	Elements	White	Colour	Watts	Heat output
			UIN	UIN		Btu/hr
1800	320	8	448300h	448300hc	872	2,975
	440	11	448301h	448301hc	1,199	4,091
	520	13	448302h	448302hc	1,417	4,835
	640	16	448303h	448303hc	1,744	5,951
2000	320	8	448304h	448304hc	976	3,330
	440	11	448305h	448305hc	1,342	4,579
	520	13	448306h	448306hc	1,586	5,412
	640	16	448307h	448307hc	1,956	6,661

Δ t50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δ t40 or Δ t30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

COLOUR OPTIONS



Comes in White as standard (RAL 9016).

Please note that once a coloured radiator has been ordered, it cannot be cancelled or returned.



WARRANTY



MADE TO ORDER



DELIVERY WITHIN 14 WORKING DAYS





WHITE IN STOCK

WALL MOUNTING INFORMATION



All dimensions in mm. Inches in brackets.

Type	Back face to finished wall D		Connection centres from finished wall D1		Front face from finished wall D2	
	mm	inches	mm	inches	mm	inches
Slimline	35	1.38	50	1.97	130	5.12



FIXING POSITIONS

All dimensions in mm. Inches in brackets.




CONNECTIONS

Each radiator comes with 1/2" inlet connections as standard.

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	Slimline	
Height	1800	2000
W/m at 75/65/20	2725	3050
n-coefficients	1.30	1.31
Heated surface area (m ² /m)	6.91	7.66
Weight (kg/m)	77.84	86.09
Water contents (l/m)	17.5	20.00
Wall to tap centre (mm)	50	50

PIPING INSTRUCTIONS



55 COLOUR OPTIONS. 14-DAY LEAD TIME.

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is **now available in a variety of colours within 14 working days.**

STANDARD COLOUR




RAL 9016
Traffic white

To request up to 5 colour samples, please email sales@stelrad.com or call **0800 876 6813** with your choices and address details.

The colours shown are reproduced as accurately as this printing process will allow.


RAL COLOURS - Satin Finish



1001
Beige




1013
Oyster white



1015
Light ivory



9001
Cream



9002
Grey white



9003
Signal white




9010
Pure white



9016
Traffic white




9018
Papyrus white




9005
Jet black




9017
Traffic black



7001
Silver grey




7011
Iron grey




7015
Slate grey



7016
Anthacite grey



7030
Stone grey




7032
Pebble grey



7035
Light grey




7036
Platinum grey



7037
Dusty grey




7038
Agate grey



7039
Quartz grey




5002
Ultramarine blue




5010
Gentian blue




5012
Light blue



5014
Pigeon blue



5015
Sky blue




5022
Night blue

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.



RAL COLOURS (continued)




5024
Pastel blue




6005
Light moss green




6018
Yellow green




6019
Pastel green




6020
Chrome green



6027
Light green



6033
Mint turquoise



6034
Pastel turquoise




3000
Flame red



3002
Carmine red



3003
Ruby red



3005
Wine red



2003
Pastel orange



2008
Bright red orange



1004
Golden yellow




1016
Sulphur yellow




1021
Colza yellow




3015
Light pink



8014
Sepia



8017
Chocolate brown



7026
Granite



1019
Cappuccino




8028
Terra brown



9011
Graphite black

METALLIC



1247M
Bronze metallic



7001M
Silver metallic



9007M
Grey metallic

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit
www.ralcolorchart.com